

- Lurie, J. D., Zagaria, A. B., Ellis, L., Pidgeon, D., Gill-Body, K. M., Burke, C., ... & McDonough, C. M. (2020). Surface Perturbation Training to Prevent Falls in Older Adults: A Highly Pragmatic, Randomized Controlled Trial. *Physical Therapy*. <https://doi.org/10.1093/ptj/pzaa023>
- Nevisipour, M., Grabiner, M. D., & Honeycutt, C. F. (2019). A single session of trip-specific training modifies trunk control following treadmill induced balance perturbations in stroke survivors. *Gait & Posture*, 70(March), 222–228. <https://doi.org/10.1016/j.gaitpost.2019.03.002>
- Patel, P. J., Bhatt, T., DelDonno, S. R., Langenecker, S. A., & Dusane, S. (2019). Examining Neural Plasticity for Slip-Perturbation Training: An fMRI Study. *Frontiers in Neurology*, 9(January). <https://doi.org/10.3389/fneur.2018.01181>
- Wang, Y., Bhatt, T., Liu, X., Wang, S., Lee, A., Wang, E., & Pai, Y.-C. (Clive). (2019). Can treadmill-slip perturbation training reduce immediate risk of over-ground-slip induced fall among community-dwelling older adults? *Journal of Biomechanics*, 84, 58–66. <https://doi.org/10.1016/J.JBIOMECH.2018.12.017>
- Crenshaw, J. R., Bernhardt, K. A., Fortune, E., & Kaufman, K. R. (2019). The accuracy of rapid treadmill-belt movements as a means to deliver standing postural perturbations. *Medical Engineering and Physics*, 64, 93–99. <https://doi.org/10.1016/j.medengphy.2018.12.017>
- Patel, P. J., & Bhatt, T. (2018). Fall risk during opposing stance perturbations among healthy adults and chronic stroke survivors. *Experimental Brain Research*, 236(2), 619–628. <https://doi.org/10.1007/s00221-017-5138-6>
- Crenshaw, J. R., Bernhardt, K. A., Atkinson, E. J., Khosla, S., Kaufman, K. R., & Amin, S. (2018). The relationships between compensatory stepping thresholds and measures of gait, standing postural control, strength, and balance confidence in older women. *Gait and Posture*, 65(August 2017), 74–80. <https://doi.org/10.1016/j.gaitpost.2018.06.117>
- Lee, A., Bhatt, T., Liu, X., Wang, Y., & Pai, Y. C. (2018). Can higher training practice dosage with treadmill slip-perturbation necessarily reduce risk of falls following overground slip? *Gait and Posture*, 61(January 2017), 387–392. <https://doi.org/10.1016/j.gaitpost.2018.01.037>
- Sung, P. S., & Danial, P. (2018). Trunk Reaction Time and Kinematic Changes Following Slip Perturbations in Subjects with Recurrent Low Back Pain. *Annals of Biomedical Engineering*, 46(3), 488–497. <https://doi.org/10.1007/s10439-017-1972-8>
- Rapp van Roden, E. A., Petersen, D. A., Pigman, J., Conner, B. C., Tyler Richardson, R., & Crenshaw, J. R. (2018). The contribution of counter-rotation movements during fall recovery: A validation study. *Journal of Biomechanics*, 78(2018), 102–108. <https://doi.org/10.1016/j.jbiomech.2018.07.025>
- McDowell, C., Smyk, M., & Sung, P. S. (2018). Compensatory strategy between trunk-hip kinematics and reaction time following slip perturbation between subjects with and without chronic low back pain. *Journal of Electromyography and Kinesiology*, 43(12), 68–74. <https://doi.org/10.1016/j.jelekin.2018.09.005>
- Celinskis, D., Grabiner, M. D., & Honeycutt, C. F. (2018). Bilateral early activity in the hip flexors associated with falls in stroke survivors: Preliminary evidence from laboratory-induced falls. *Clinical Neurophysiology*, 129(1), 258–264. <https://doi.org/10.1016/j.clinph.2017.11.005>
- Yang, F., Saucedo, F., & Qiao, M. (2018). Effects of a single-session stance-slip perturbation training program on reducing risk of slip-related falls. *Journal of Biomechanics*, 72, 1–6. <https://doi.org/10.1016/j.jbiomech.2018.02.020>

Oludare, S. O., Pater, M. L., Rosenblatt, N. J., & Grabiner, M. D. (2018). Trip-specific training enhances recovery after large postural disturbances for which there is expectation. *Gait and Posture*, 61(1), 382–386.

<https://doi.org/10.1016/j.gaitpost.2018.02.001>

Yang, F., Cereceres, P., & Qiao, M. (2018). Treadmill-based gait-slip training with reduced training volume could still prevent slip-related falls. *Gait and Posture*, 66(8), 160–165. <https://doi.org/10.1016/j.gaitpost.2018.08.029>

Yang, F. F., Kim, J. E., & Yang, F. F. (2017). Effects of obesity on dynamic stability control during recovery from a treadmill-induced slip among young adults. *Journal of Biomechanics*, 53, 148–153.

<https://doi.org/10.1016/j.jbiomech.2017.01.021>

Gerards, M. H. G., McCrum, C., Mansfield, A., & Meijer, K. (2017). Perturbation-based balance training for falls reduction among older adults: Current evidence and implications for clinical practice. *Geriatrics and Gerontology International*, 17(12), 2294–2303. <https://doi.org/10.1111/ggi.13082>

Yang, F., Munoz, J., Han, L. zhu, & Yang, F. (2017). Effects of vibration training in reducing risk of slip-related falls among young adults with obesity. *Journal of Biomechanics*, 57, 87–93. <https://doi.org/10.1016/j.jbiomech.2017.03.024>

Salot, P., Patel, P., & Bhatt, T. (2016). Reactive balance in individuals with chronic stroke: Biomechanical factors related to perturbation-induced backward falling. *Physical Therapy*, 96(3), 338–347. <https://doi.org/10.3233/BMR-1997-8106>

Yang, F., Kim, J. E., & Munoz, J. (2016). Adaptive gait responses to awareness of an impending slip during treadmill walking. *Gait and Posture*, 50, 175–179. <https://doi.org/10.1016/j.gaitpost.2016.09.005>

Yang, F., Kim, J. E., & Munoz, J. (2016). Adaptive gait responses to awareness of an impending slip during treadmill walking. *Gait and Posture*, 50, 175–179. <https://doi.org/10.1016/j.gaitpost.2016.09.005>

Pater, M. L., Rosenblatt, N. J., & Grabiner, M. D. (2016). Knee osteoarthritis negatively affects the recovery step following large forward-directed postural perturbations. *Journal of Biomechanics*, 49(7), 1128–1133.

<https://doi.org/10.1016/j.jbiomech.2016.02.048>

Honeycutt, C. F., Nevisipour, M., & Grabiner, M. D. (2016). Characteristics and adaptive strategies linked with falls in stroke survivors from analysis of laboratory-induced falls. *Journal of Biomechanics*, 49(14), 3313–3319.

<https://doi.org/10.1016/j.jbiomech.2016.08.019>

Yang, F., & King, G. A. (2016). Dynamic gait stability of treadmill versus overground walking in young adults. *Journal of Electromyography and Kinesiology*, 31, 81–87. <https://doi.org/10.1016/j.jelekin.2016.09.004>

Stout, R. D., Wittstein, M. W., LoJacono, C. T., & Rhea, C. K. (2016). Gait dynamics when wearing a treadmill safety harness. *Gait and Posture*, 44(2016), 100–102. <https://doi.org/10.1016/j.gaitpost.2015.11.012>

Mansfield, A., Wong, J. S., Bryce, J., Knorr, S., & Patterson, K. K. (2015). Does Perturbation-Based Balance Training Prevent Falls? Systematic Review and Meta-Analysis of Preliminary Randomized Controlled Trials. *Physical Therapy*, 95(5), 700–709. <https://doi.org/10.2522/ptj.20140090>

Han, L., & Yang, F. (2015). Strength or power, which is more important to prevent slip-related falls? *Human Movement Science*, 44, 192–200. <https://doi.org/10.1016/j.humov.2015.09.001>

Feng, Y., Bhatt, T., Pai, Y., Yang, F., Bhatt, T., & Pai, Y. (2014). Generalization of treadmill-slip training to prevent a fall following a sudden (novel) slip in over-ground walking. *J Biomech*, 46(1), 63–69.

<https://doi.org/10.1016/j.jbiomech.2012.10.002.GENERALIZATION>

Kaufman, K. R., Wyatt, M. P., Sessoms, P. H., & Grabiner, M. D. (2014). Task-specific fall prevention training is effective for warfighters with transtibial amputations. *Clinical Orthopaedics and Related Research*, 472(10), 3076–3084.

<https://doi.org/10.1007/s11999-014-3664-0>

Crenshaw, J. R., & Grabiner, M. D. (2014). The influence of age on the thresholds of compensatory stepping and dynamic stability maintenance. *Gait and Posture*, 40(3), 363–368. <https://doi.org/10.1016/j.gaitpost.2014.05.001>

Crenshaw, J. R., Kaufman, K. R., & Grabiner, M. D. (2013). Compensatory-step training of healthy, mobile people with unilateral, transfemoral or knee disarticulation amputations: A potential intervention for trip-related falls. *Gait and Posture*, 38(3), 500–506. <https://doi.org/10.1016/j.gaitpost.2013.01.023>

Lurie, J. D., Zagaria, A. B., Pidgeon, D. M., Forman, J. L., & Spratt, K. F. (2013). Pilot comparative effectiveness study of surface perturbation treadmill training to prevent falls in older adults. *BMC Geriatrics*, 13(1), 1.

<https://doi.org/10.1186/1471-2318-13-49>

Grabiner, M. D., Bareither, M. Lou, Gatts, S., Marone, J., & Troy, K. L. (2012). Task-specific training reduces trip-related fall risk in women. *Medicine and Science in Sports and Exercise*, 44(12), 2410–2414.

<https://doi.org/10.1249/MSS.0b013e318268c89f>

Crenshaw, J. R., Rosenblatt, N. J., Hurt, C. P., & Grabiner, M. D. (2012). The discriminant capabilities of stability measures, trunk kinematics, and step kinematics in classifying successful and failed compensatory stepping responses by young adults. *Journal of Biomechanics*, 45(1), 129–133. <https://doi.org/10.1016/j.jbiomech.2011.09.022>